**Security Vision & Responsibility –** For a CTPAT Member's supply chain security program to become and remain effective, it must have the support of a company's upper management. Instilling security as an integral part of a company's culture and ensuring that it is a companywide priority is in large part the responsibility of the company's leadership.

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 1.1 | In promoting a culture of security, CTPAT Members should demonstrate their commitment to supply chain security and the CTPAT Program through a statement of support. The statement should be signed by a senior company official and displayed in appropriate company locations. | Statement of support should highlight the importance of protecting the supply chain from criminal activities such as drug trafficking, terrorism, human smuggling, and illegal contraband. Senior company officials who should support and sign the statement may include the president, CEO, general manager, or security director. Areas to display the statement of support include the company's website, on posters in key areas of the company (reception; packaging; warehouse; etc.), and/or be part of company security seminars, etc. | Should |
| 1.2 | To build a robust Supply Chain Security Program, a company should incorporate representatives from all of the relevant departments into a cross-functional team.<br><br>These new security measures should be included in existing company procedures, which creates a more sustainable structure and emphasizes that supply chain security is everyone's responsibility. | Supply Chain Security has a much broader scope than traditional security programs. It is intertwined with Security, in many departments such as Human Resources, Information Technology, and Import/Export offices. Supply Chain Security programs built on a more traditional, security department-based model may be less viable over the long run because the responsibility to carry out the security measures are concentrated among fewer employees, and, as a result, may be susceptible to the loss of key personnel. | Should |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 1.3 | The supply chain security program must be designed with, supported by, and implemented by an appropriate written review component. The purpose of this review component is to document that a system is in place whereby personnel are held accountable for their responsibilities and all security procedures outlined by the security program are being carried out as designed. The review plan must be updated as needed based on pertinent changes in an organization's operations and level of risk. | The goal of a review for CTPAT purposes is to ensure that its employees are following the company's security procedures. The review process does not have to be complex. The Member decides the scope of reviews and how in-depth they will be - based on its role in the supply chain, business model, level of risk, | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 3.1 | CTPAT Members must have a written, risk based process for screening new business partners and for monitoring current partners. A factor that Members should include in this process is checks on activity related to money laundering and terrorist funding. To assist with this process, please consult CTPAT's Warning Indicators for Trade-Based Money Laundering and Terrorism Financing Activities. | The following are examples of some of the vetting elements that can help determine if a company is legitimate:<br>• Verifying the company's business addreaA(ng)6.2118.5 (o)-9.1 (c)-4.7 (e)-2 (s)-12.6 (s,)--1.6 (s-0. | |

| ID | |
|---|---|

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| | | may conduct an onsite audit at the facility, hire a contractor/service provider to conduct an onsite audit, or use a security questionnaire. If security questionnaires are used, the level of risk will determine the amount of detail or evidence required to be collected. More details may be required from companies located in high-risk areas. If a Member is sending a security questionnaire to its business partners, consider requiring the following items:<br><br>•Name and title of the person(s) completing it;<br>•Date completed;<br>•Signature of the individual(s) who completed the document;<br>•*Signature of a senior company official, security supervisor, or authorized company representative to attest to the accuracy of the questionnaire;<br>•Provide enough detail in responses to determine compliance; and<br>•Based on risk, and if allowed by local security protocols, include photographic evidence, copies of | |

| ID | |
|---|---|

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 3.8 | For inbound shipments to the United States, if a Member subcontracts transportation services to another highway carrier, the Member must use a CTPAT certified highway carrier or a highway carrier that works directly for the Member as delineated through a written contract. The contract must stipulate adherence to all minimum security criteria (MSC) requirements. | The carrier should provide a list of subcontracted carriers and drivers to the facilities where it picks up and delivers cargo. Any changes to the subcontractor list should be immediately conveyed to relevant partners.<br><br>When reviewing service providers for compliance, the Member should verify that the company subcontracted is actually the company transporting the loads—and has not further subcontracted loads without approval.<br><br>Members should limit subcontracting transportation services to one level only. If exceptions are allowed for further subcontracting, the CTPAT Member and the shipper should be notified that the load was further subcontracted. | Must |

4. **Cybersecurity** – In today's digital world, cybersecurity is the key to safeguarding a company's most precious assets – intellectual property, customer information, financial and trade data, and employee records, among others. With increased connectivity to the internet comes the risk of a breach of a company's information systems. This threat pertains to businesses of all types and sizes. Measures to secure a company's information technology (IT) and data are of paramount importance, and the listed criteria provide a foundig nv

| ID | Criteria |
| --- | --- |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 4.4 | Cybersecurity policies should address how a Member shares information on cybersecurity threats with the government and other business partners. | Members are encouraged to share information on cybersecurity threats with the government and business partners within their supply chain. Information sharing is a key part of the Department of Homeland Security's mission to create shared situational awareness of malicious cyber activity. CTPAT Members may want to join the National Cybersecurity and Communications Integration Center (NCCIC - https://www.us-cert.gov/nccic). The NCCIC shares information among public and private sector partners to build awareness of vulnerabilities, incidents, and mitigations. Cyber and industrial control systems users can subscribe to information products, feeds, and services at no cost. | Should |
| 4.5 | A system must be in place to identify unauthorized access of IT systems/data or abuse of policies and procedures including improper access of internal systems or external websites and tampering or altering of business data by employees or contractors. All violators must be subject to appropriate disciplinary actions. | | Must |
| 4.6 | Cybersecurity policies and procedures must be reviewed annually, or more frequently, as risk or circumstances dictate. Following the review, policies and procedures must be updated if necessary. | An example of a circumstance that would dictate a policy update sooner than annually is a cyber attack. Using the lessons learned from the attack would help strengthen a Member's cybersecurity policy. | Must |
| 4.7 | User access must be restricted based on job description or assigned duties. Authorized access must be reviewed on a regular basis to ensure access to sensitive systems is based on job requirements. Computer and network access must be removed upon employee separation. | | Must |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 4.8 | Individuals with access to Information Technology (IT) systems must use individually assigned accounts.<br><br>Access to IT systems must be protected from infiltration via the use of strong passwords, passphrases, or other forms of authentication, and user access to IT systems must be safeguarded.<br><br>Passwords and/or passphrases must be changed as soon as possible if there is evidence of compromise or reasonable suspicion of a compromise exists. | To guard IT systems against infiltration, user access must be safeguarded | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 4.10 | If Members allow employees to use personal devices to conduct company work, all such devices must adhere to the company's cybersecurity policies and procedures to include regular security updates and a method to securely access the company's network. | Personal devices include storage media like CDs, DVDs, and USB flash drives. Care must be taken if employees are allowed to connect their personal media to individual systems since these data storage devices may be infected with malware that could propagate using the company's network. | Must |
| 4.11 | Cybersecurity policies and procedures should include measures to prevent the use of counterfeit or improperly licensed technological products. | Computer software is intellectual property (IP) owned by the entity that created it. Without the express permission of the manufacturer or publisher, it is illegal to install software, no matter how it is acquired. That permission almost always takes the form of a license from the publisher, which accompanies authorized copies of software. Unlicensed software is more likely to fail as a result of an inability to update. It is more prone to contain malware, rendering computers and their information useless. Expect no warranties or support for unlicensed software, leaving your company on its own to deal with failures. There are legal consequences for unlicensed software as well, including stiff civil penalties and criminal prosecution. Software pirates increase costs to users of legitimate, authorized software and decrease the capital available to invest in research and development of new software.<br><br>Members may want to have a policy that requires product key labels and certificates of authenticity to be kept when new media is purchased. CDs, DVDs, and USB media include holographic security features to help ensure you receive authentic products and to protect against counterfeiting. | Should |

## Second Focus Area: Transportation Security

5. **Conveyance and Instruments of International Traffic Security** – Smuggling schemes often involve the modification of conveyances and Instruments of International Traffic (IIT), or the hiding of contraband inside IIT. This criteria category covers security measures designed to prevent, detect, and/or deter the altering of IIT structures or surreptitious entry into them, which could allow the introduction of unauthorized material or persons.

   At the point of stuffing/loading, procedures need to be in place to inspect IIT and properly seal them. Cargo in transit or "at rest" is under less control, and is therefore more vulnerable to infiltration, which is why seal controls and methods to track cargo/conveyances in transit are key security criteria.

   Breaches in supply chains occur most often during the transportation process; therefore, Members must be vigilant that these key cargo criteria be upheld throughout their supply chains.

   **Key Definition: Instruments of International Traffic (IIT) –** IIT include containers, flatbeds, unit load devices (ULDs), lift vans, cargo vans, shipping tanks, bins, skids, pallets, caul boards, cores for textile fabrics, or other specialized containers arriving (loaded or empty), in use or to be used in the shipment of merchandise in international trade.

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 5.1 | Conveyances and Instruments of International Traffic (IIT) must be stored in a secure area to prevent unauthorized access, which could result in an alteration to the structure of an Instrument of International Traffic or (as applicable) allow the seal/doors to be compromised. | The secure storage of conveyances and Instruments of International Traffic (both empty and full) is important to guard against unauthorized access. | Must |
| 5.2 | The CTPAT inspection process must have written procedures for both security and agricultural inspections. | With the prevalence of smuggling schemes that involve the modification of conveyances or Instruments of International Traffic, it is imperative that Members conduct inspections of conveyances and Instruments of International Traffic to look for visible pests and serious structural deficiencies. Likewise, the prevention of pest contamination via conveyances and IIT is of paramount concern, so an agricultural component has been added to the security inspection process. | Must |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| | Additional inspection requirements for land border crossings via highway carriers:<br><br>Inspections of conveyances and IIT must be conducted at conveyance/IIT storage yards.<br><br>Where feasible, inspections must be conducted upon entering and departing the storage yards and at the point of loading/stuffing. These systematic inspections must include 17-point inspections:<br><br>**Tractors:**<br><br>1. Bumper/tires/rims;<br>2. Doors, tool compartments and locking mechanisms;<br>3. Battery box;<br>4. Air breather;<br>5. Fuel tanks;<br>6. Interior cab compartments/sleeper; and<br>7. Faring/roof.<br><br>**Trailers**:<br><br>1. Fifth wheel area - check natural compartment/skid plate;<br>2. Exterior - front/sides;<br>3. Rear - bumper/doors;<br>4. Front wall;<br>5. Left side;<br>6. Right side;<br>7. Floor;<br>8. Ceiling/roof;<br>9. Inside/outside doors and locking mechanisms; and<br>10.Outside/Undercarriage. | | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 5.4 | Conveyances and Instruments of International Traffic (as appropriate) must be equipped with external hardware that can reasonably withstand attempts to remove it. The door, handles, rods, hasps, rivets, brackets, and all other parts of a container's locking mechanism must be fsnT (i)5 (t)2.7 (hs)10.4aTIt2.1 (l)5nhiTIt2.1.1 (s)1.3 (a)2.6 (e)9.1 (m)8r38ckets, antae5 (,)2 ( t)2.6al | | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 5.8 | Based on risk, management personnel should conduct random searches of conveyances after the transportation staff have conducted conveyance/Instruments of International Traffic inspections.<br><br>The searches of the conveyance should be done periodically, with a higher frequency based on risk. The searches should be conducted at random without warning, so they will not become predictable. The inspections should be conducted at various locations where the conveyance is susceptible: the carrier yard, after the truck has been loaded, and en route to the United States border. | Supervisory searches of conveyances are conducted to counter internal conspiracies.<br><br>As a best practice, supervisors can hide an item (like a toy or colored box) in the conveyance to determine if the field test screener/conveyance operator finds it.<br><br>Supervisory personnel could be a security manager, held accountable to senior management for security, or other designated management personnel. | Should |
| 5.11 | A tracking and monitoring activity log or equivalent technology (such as GPS) must be used to track the conveyance while it is en route to the United States. If driver logs are used, the driver must record any stops and note that inspections of the conveyance, Instruments of International Traffic (IIT), and the seal were conducted. | Conveyances are tracked to prevent them from being diverted to tamper with the load or structure of the conveyance/Instruments of International Traffic to allow contraband to be introduced in the shipment. Based on risk, transportation providers may want to track and monitor their conveyances/Instruments of International Traffic in real time. There are many tracking tools available to users free of charge via their smart cell phones. For small carriers, applications such as Life 360, Find Friends from Google, and WhatsApp allow users to track people and conveyances. | Must |
| 5.14 | CTPAT Members should work with their transportation providers to track conveyances from origin to final destination point. Specific requirements for tracking, reporting, and sharing of data should be incorporated within terms of service agreements with ser | | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 5.19 | [illegible] 493.44 Tm(I)1 48.8O4 Tm8T1 1.84 493.44 T6 r[illegible] 0.48176 r539. | | |



[redacted]

| ID | Criteria | Implementation Guidance | |
|---|---|---|---|

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 5.30 | Any technology, to include transponders, provided by CBP to the highway carrier, must be protected against misuse, compromise, theft, tampering, altering or duplication. Any misuse of transponders, to include procuring them for external carriers, will result in suspension or removal from the program. Moreover, in order to decrease wait times, CTPAT carriers must either pay the annual user fee or the single-crossing user fee online prior to arrival at a port of entry. | The transponder, also known as a User Fee, is a sticker that contains a radio-frequency identification chip (RFID technology) that transmits information about a vehicle and border crossing User Fee payment status. The transponder is attached to the windshield of a commercial vehicle and should remain on the vehicle for the life of the transponder (up to 10 years) even if the vehicle is sold. For more on transmmerci(a)2.1e i vere , I-1 (f t)-6.3 (h)yc 06lconi05 Tc - Pnd b | |

**6. Seal Security –** The sealing of trailers and containers to attain continuous seal integrity, continues to be a crucial element of a secure supply chain. Seal security includes having a comprehensive written seal policy that addresses all aspects of seal security, such as using the correct seals per CTPAT requirements; properly placing a seal on IIT, and verifying that the seal has been affixed properly.

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 6.1 | CTPAT Members must have detailed, written high-security seal procedures that describe how seals are issued and controlled at the facility and during transit. Procedures must provide the steps to take if a seal is altered, tampered with, or has the incorrect seal number, including documentation of the event, communication protocols to partners, and investigation of the incident. The findings from the investigation must be documented, and any corrective actions must be implemented as quickly as possible.<br><br>These written procedures must be maintained at the local operating level so that | | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| | • If a load is examined, record the replacement seal number.<br>• The driver must immediately notify dispatch when a seal is broken, indicate who broke the seal, and provide the new seal number.<br>• The carrier must immediately notify the shipper, broker, and importer of the seal change and the replacement seal number.<br>• The shipper must note the replacement seal number in the seal log.<br><br>**Seal Discrepancies:**<br>• Retain altered or tampered seals to a0.007 5 Tc -0. tn | | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 6.5 | CTPAT Members (that maintain seal inventories) must be able to document that the high-security seals they use meet or exceed the most current ISO 17712 standard. | Acceptable evidence of compliance is a copy of a laboratory testing certificate that demonstrates compliance with the ISO high-security seal standard. CTPAT Members are expected to be aware of the tamper indicative features of the seals they purchase. | Must |
| 6.6 | If a Member maintains an inventory of seals, company management or a security supervisor must conduct a seal audit that includes periodic inventory of1 ref.1 ( o)1.9 (fd)-6.1 fdls-3.9 d8 (p)-6.l(o)1.-4 (n)-6.1 (ce)3 ( n-3.3 (h)-0.9 (  4.4 4.6 (cd8  0.004 T | | |

7. **Procedural Security –** Procedural Security encompasses many aspects of the import-export process, documentation, and cargo storage and handling requirements. Other vital procedural criteria pertain to reporting incidents and notification to pertinent law enforcement. Additionall

| ID | Criteria | |
|---|---|---|

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 7.13 | Based on risk, highway carriers must have specific procedures in place to mitigate the risk of collusion between employees, such as between driver and dispatch personnel, which might allow a security measure to be overcome. | An example of an internal conspiracy would be a driver and dispatch staff colluding to falsify travel times to undermine tracking and monitoring procedures. Procedures to prevent | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 7.18 | In areas of high risk, where operationally feasible, the highway carrier should use a convoy method (e.g., a minimum of two trucks traveling together) to transport cargo. Each truck in the convoy should have the means to communicate with the other trucks in the convoy and with the dispatch staff. | | |

8. **Agricultural Security –** Agriculture is the largest industry and employment sector in the U.S. It is also an industry threatened by the introduction of foreign animal and plant contaminants such as soil, manure, seeds, and plant and animal material which may harbor invasive and destructive pests and diseases. Eliminating contaminants in all conveyances and in all types of cargo may decrease CBP cargo holds, delays, and commodity returns or treatments. Ensuring compliance with CTPAT's agricultural requirements will also help protect a key industry in the U.S. and the overall global food supply.

   **Key Definition: Pest contamination** – The International Maritime Organization defines pest contamination as visible forms of animals, insects or other invertebrates (alive or dead, in any lifecycle stage, including egg casings or rafts), or any organic material of animal origin (including blood, bones, hair, flesh, secretions, excretions); viable or non-

## Third Focus Area: People and Physical Security

9. **Physical Security –** Cargo handling and storage facilities, Instruments of International Traffic storage areas, and facilities where import/export documentation is prepared in domestic and foreign locations must have physical barriers and deterrents that guard against unauthorized access.

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| | • That the inspections include verifications that all of the equipment is working properly, and if applicable, that the equipment is positioned correctly;<br><br>• That the results of the inspections and performance testing is documented;<br><br>• That if corrective actions are necessary, they are to be implemented as soon as possible and the corrective actions are documented;<br><br>• That the documented results of these inspections be maintained for a sufficient time for audit purposes.<br><br>If a third party central monitoring station (off-site) is used, the CTPAT Member must have written procedures stipulating critical systems functionality and authentication protocols such as (but not limited to) security code changes, adding or subtracting authorized personnel, password revisions, and systems access or denials.<br><br>Security technology policies and procedures must be reviewed and updated annually, or more frequently, as risk or circumstances dictate. | center should be double-checked.<br><br>• Make sure video settings such as motion activated recording; motion detection alerts; images per second (IPS), and quality level, have been set up properly.<br><br>• Make sure camera lenses (or domes that protect the cameras) are clean and lenses are focused. Visibility should not be limited by obstacles or bright lights.<br><br>• Test to make sure security cameras are positioned correctly and remain in the proper position (cameras may have been deliberately or accidentally moved). | |

| ID | Criteria |
| --- | --- |

| ID | |
|---|---|

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 9.16 | If cameras are being used, recordings of footage covering key import/export processes should be maintained on monitored shipments for a sufficient time to allow an investigation to be completed. | If a breach were to happen, an investigation would need to be conducted, and maintaining any camera footage that m | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 10.2 | Visitors, vendors, and service providers must present photo identification upon arrival, and a log must be maintained that records the details of the visit. All visitors should be escorted. In addition, all visitors and service providers should be issued temporary identification. If temporary identification is used, it must be visibly displayed at all times during the visit.<br><br>The registration log must include the following:<br><br>• Date of the visit;<br>• Visitor's name;<br>• Verification of photo identification (type verified such as license or national ID card). Frequent, well known visitors such as regular vendors may forego the photo identification, but must still be logged in and out of the facility;<br>• Time of arrival;<br>• Company point of contact; and<br>• Time of departure. | | |

**11. Personnel Security –** A company's human resource force is one of its most critical assets, but it may also be one of its weakest security links. The criteria in this category focus on issues such as employee screening and pre-employment verifications. Many security breaches are caused by internal conspiracies, which is where one or more employees collude to circumvent security procedures aimed at allowing an infiltration of the supply chain. Therefore, Members must exercise due diligence to verify that employees filling sensitive positions are reliable and trustworthy. Sensitive positions include staff working directly with cargo or its documentation, as well as personnel involved in controlling access to sensitive areas or equipment. Such positions include, but are not limited to, shipping, receiving, mailroom personnel, drivers, dispatch, security guards, any individuals involved in load assignments, tracking of conveyances, and/or seal controls.

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 11.1 | Written processes must be in place to screen prospective employees and to periodically check current employees. Application information, such as employment history and references, must be verified prior to employment, to the extent possible and allowed under the law. | CTPAT is aware that labor and privacy laws in certain countries may not allow all of the application information to be verified. However, due diligence is expected to verify application information when permitted. | Must |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 11.2 | In accordance with applicable legal limitations, and the availability of criminal record databases, employee background screenings should be conducted. Based on the sensitivity of the position, employee vetting requirements should extend to temporary workforce and contractors. Once employed, periodic reinvestigations should be performed based on ca15(o)1.9 (5 (d,)21 1904t1-84 5( o)-4.121)9.1 ( pe)9.g. (t) ( )-11.9 (s)10 9.96 uld be | | |

**12. <u>Education, Training and Awareness</u> –** CTPAT's security criteria are designed to form the basis of a layered security system. If one layer of security is overcome, another layer should prevent a security breach, or alert a company to a breach. Implementing and maintaining a layered security program needs the active participation and support of several departments and various personnel. One of the key aspects to maintaining a security program is training. Educating employees on what the threats are and how their role is important in protecting the company's supply chain is a significant aspect to the success and endurance of a supply chain security program. Moreover, when employees understand why security procedures are in place, they are much more likely to adhere to them.

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 12.1 | Members must establish and maintain a security training and awareness program to recognize and foster awareness of the security vulnerabilities to facilities, conveyances, and cargo at each point in the supply chain, which could be exploited by terrorists or contraband smugglers. The training program must be comprehensive and cover all of CTPAT's security requirements. Personnel in sensitive positions must receive additional specialized training geared toward the responsibilities that the position holds.<br><br>One of the key aspects of a security program is training. Employees who understand why security measures are in place are more likely to adhere to them. Security training must be provided to employees, as required, based on their functions and position on a regular basis, | | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 12.2 | Drivers and other personnel that conduct security and agricultural inspections of empty conveyances and Instruments of International Traffic (IIT) must be trained to inspect their conveyances/IIT for both security and agricultural purposes.<br><br>Refresher training must be conducted periodically, as needed after an incident or security breach, or when there are changes to company procedures.<br><br>Inspection training must include the following topics:<br>• Signs of hidden compartments; | | |

| ID | Criteria | Implementation Guidance | Must / Should |
|---|---|---|---|
| 12.4 | CTPAT Members should have measures in place to verify that the training provided met all training objectives. | Understanding the training and being able to use that training in one's position (for sensitive employees) is of paramount importance. Exams or quizzes, a simulation exercise/drill, or regular audits of procedures etc. are some of the measures that the Member may implement to determine the effectiveness of the training. | Should |
| 12.7 | Training must, in accordance with the Member's business model, be provided to applicable personnelos 481 9.96 -0 0 9.96 81.12U.g | | |